


<b>Brand</b>	Lexar®
<b>Product Name Full</b>	Lexar® 2.5 Inch Hard Drive Enclosure
<b>Product Name Short</b>	2.5 Inch Hard Drive Enclosure
<b>Product Name E-commerce</b>	Lexar® 2.5 Inch Hard Drive Enclosure, compatible with 2.5 inch SATA hard drives and SSDs, 7mm - 9.5mm external hard drive enclosure support max 8TB, supports SATA 3.0 6Gbps
<b>Product Line</b>	Accessories
<b>Marketing Text 25-Word Description</b> (<750 characters)	The Lexar® 2.5 Inch Hard Drive Enclosure transforms your 2.5" internal SATA drive into a portable device that supports data transfer rates up to 6Gbps <sup>1</sup> .
<b>Marketing Text 50-Word Description</b> (<750 characters)	The Lexar® 2.5 Inch Hard Drive Enclosure lets you turn your 2.5" internal SATA drive into a portable device. It supports data transfer rates up to 6Gbps <sup>1</sup> and a metal shell that provides good heat radiation.
<b>Bullet Feature 1</b>	Durable, metal enclosure for housing an internal drive
<b>Bullet Feature 2</b>	Supports SATA 3.0 6Gbps
<b>Bullet Feature 3</b>	Compatible with 2.5-inch SATA hard drives and SSDs
<b>Bullet Feature 4</b>	Metal housing provides durability and good heat radiation
<b>Bullet Feature 5</b>	Dual-color housing for added style
<b>Bullet Feature 6</b>	Includes a USB type-A to micro-USB cable, bolt drive, screw, user manual, and a sponge for reducing hard drive vibration
<b>Warranty</b>	1-year limited warranty
<b>Footnote(s)/ Disclaimer(s)</b>	<p><sup>1</sup>Theoretical transfer speeds for the SATA protocol are up to 6Gbps. Speeds are based on internal testing. Actual performance may vary.</p> <p>Lexar is not liable for any loss of data or images.</p> <p>[Product page only] Product appearance, performance, software offerings, and packaging may vary depending on ship date and available inventory. Actual usable memory capacity may vary. 1GB equals 1 billion bytes.</p>
<b>Market Segment</b>	SSD Enclosure, HDD Enclosure, Portable SSD Enclosure, Extended Storage, Computer Accessories
<b>Category</b>	SATA SSD / HDD enclosure
<b>Sub Category</b>	SSD enclosure, HDD Enclosure, USB-A to USB Micro-B cable
<b>Keywords for Search</b>	Sata, best ssd, hard drive enclosure, best hard drive enclosure, best portable device, best portable drive, durable drives, durable ssd, durable portable device, SATA 3.0, 2.5 inch, reliable ssd, fastest ssd, sata 3.0 ssd, highest sata ssd, best portable ssd, best portable hard drive, toughest ssd, coolest ssd

<b>Specifications</b>	
<b>Module Type/ Form Factor</b>	SATA Enclosure

<b>Speed</b>	Compliant to USB 3.2 Gen 1 Specification-5Gbps Support SATA 3.0 6Gbps <sup>1</sup>
<b>Devices</b>	2.5 inch SATA SSD – from 7-9.5mm and up to 8TB 2.5 inch SATA HDD – from 7-9.5mm and up to 2TB
<b>Operating Temperature</b>	0°C to 40°C (32°F to 104°F)
<b>Storage Temperature</b>	-25°C to 85°C (-13°F to 185°F)
<b>Shock</b>	1500G, duration0.5ms, Half Sine Wave
<b>Vibration</b>	10~2000Hz, 1.5mm, 20G, 1Oct/min, 30min/axis (X, Y, Z)

Ordering Information				
<b>Single UPC and/or Master Carton UPC (GL)</b>	<b>Part Number</b>	<b>Description</b>	<b>Single UPC</b>	<b>20-Pack UPC</b>
	LPAE100-RNBNG	Lexar PAE100 2.5 inch Hard Drive Enclosure, GL	843367131969	60843367131961
<b>Country of Origin</b>	China			
<b>Harmonized Tariff Schedule</b>	N/A			
<b>Compliance</b>	UKCA, CE, C-TICK, RoHS, WEEE			

Weights and Dimensions		
<b>Product</b>		
<b>Unit Weight</b>	0.154 lbs	69.9g
<b>Wire diameter Length</b>	4.567" x 3.110" x 0.512"	116 x 79 x 13 mm
<b>Image</b>		

Retail Box (Global)		
Package Type	Retail Box	
Qty Per Package	1	
Shipping Weight	0.298lbs	135g
Package Dimensions L x W x H	7.68" x 4.17" x 0.71"	195 mm x 106 mm x 18mm
Image		
Retail Box – Inner Carton (All Regions)		
Package Type	Inner Carton	
Qty Per Package	20	
Shipping Weight	7.054lbs	3.2kg
Package Dimensions L x W x H	12.59" x 4.33" x 7.08" H	355mm x 115mm x 235mm
Retail Box – Master Carton (All Regions)		
Package Type	Master Carton	
Qty Per Package	40	
Shipping Weight	15.21lbs	6.9kg
Package Dimensions L x W x H	13.38" x 9.44" x 7.87"	365mm x 240mm x 255mm